

Equal Angles

Mild Steel Angles

Dimensions					Kg's Per Metre	Standard Lengths			
						6	9	11	13
25	x	25	x	2,0	0,77	X			
25	x	25	x	2,5	0,95	X			
25	x	25	x	3,0	1,11	X			
25	x	25	x	5,0	1,77	X			
30	x	30	x	2,0	0,95	X			
30	x	30	x	2,5	1,17	X			
30	x	30	x	3,0	1,36	X			
30	x	30	x	5,0	2,18	X			
40	x	40	x	2,0	1,29	X			
40	x	40	x	2,5	1,58	X			X
40	x	40	x	3,0	1,87	X			X
40	x	40	x	4,0	2,42				
40	x	40	x	5,0	2,97	X			
40	x	40	x	6,0	3,52	X			
45	x	45	x	3,0	2,13				
45	x	45	x	4,0	2,74				
45	x	45	x	5,0	3,38				

Angles -S355 JR

Dimensions					Kg's	Standard Lengths			
					Per Metre	6	9	11	13
50	x	50	x	3	2,37	X			X
50	x	50	x	4	3,06				
50	x	50	x	5	3,77	X			X
50	x	50	x	6	4,47	X			X
50	x	50	x	8	5,82	X			
60	x	60	x	4	3,70				
60	x	60	x	5	4,57	X			X
60	x	60	x	6	5,42	X			X
60	x	60	x	8	7,09	X			
60	x	60	x	10	8,69	X			
70	x	70	x	6	6,38	X			X
70	x	70	x	8	8,36	X			X
70	x	70	x	10	10,27	X			
80	x	80	x	6	7,34	X			
80	x	80	x	8	9,63	X			
80	x	80	x	10	11,86	X			X
80	x	80	x	12	14,03				
90	x	90	x	6	8,30				
90	x	90	x	8	10,90	X			

Dimensions				Kg's		Standard Lengths			
90	x	90	x	10	13,45				
90	x	90	x	12	15,93				
100	x	100	x	8	12,18	X			
100	x	100	x	10	15,04	X			X
100	x	100	x	12	17,83	X			
120	x	120	x	8	14,71				
120	x	120	x	10	18,20				
120	x	120	x	12	21,62				
120	x	120	x	15	26,64				
150	x	150	x	10	22,98				
150	x	150	x	12	27,35				
150	x	150	x	15	33,77				
150	x	150	x	18	40,06				
200	x	200	x	16	48,50				
200	x	200	x	18	54,20				
200	x	200	x	20	59,90				